



Maharashtra Pollution Control Board

61c2a8d81e12b33ddaa31011

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/M.S.I

No:- Format1.0/CC/UAN No.0000102779/CE - 2112001128

Date: 27/12/2021

To,
Shrikrishna Educational & Cultural Mandal's
Shri Gulabrao Deokar Multispecialty Medical & Ayush
Hospital
56/1, Shri Gulabrao Deokar College Campus,
Mohadi Shivar Shirsoli Road, Tal & Jalgaon.



Your Service is Our Duty

Sub: Combined Consent to Establish and BMW Authorization under Red category

Ref: 1. Your application for Combine Consent and Bio-Medical Authorization dated 04.06.2021
2. The minutes of Consent Appraisal Committee meeting dated 13.10.2021 & 29.10.2021

Combined Consent to Establish and BMW Authorization.

For: Under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier.
2. The capital investment of the project is Rs.22.8 Crs. (As per C.A Certificate submitted by Industry).
3. The Consent is valid for the Activity of

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	500	Nos
b)	Total Plot Area	35400.00	Sq.Mtrs
c)	Total Built up Area	8455.31	Sq.Mtrs

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted (In CMD)	Standards to Achieve	Disposal
1.	Trade effluent	0	As per Schedule -I	NA



Maharashtra Pollution Control Board

61c2a8d81e12b33ddaa31011

Sr. No.	Description	Permitted (in CMD)	Standards to Achieve	Disposal
2.	Domestic effluent	28	As per Schedule - I	Treated effluent shall be recycled up to maximum extent and remaining shall be disposed on land for gardening / In to sewerage system provided by Local body.

5. Conditions under the Air (P & CP) Act, 1981 for air emissions:

Sr. No.	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [125 KVA]	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. Conditions about Non Hazardous Wastes:

Sr. No.	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0	--NA--	0	0

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	8.00	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Soiled Waste	2.00		
		c) Chemical Waste	1.00		
		d) Chemical Liquid Waste	1.00		
		e) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	5.00		
		f) Microbiology Biotechnology and other clinical laboratory waste	1.00		
2	Red	Contaminated waste (Recyclable)	7.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	1.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF



Maharashtra Pollution Control Board

61c2a8d81e12b33ddaa31011

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
4	Blue	a) Glassware	8.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF
		b) Metallic body implants	1.00		

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is Issued subject to conditions mentioned below:

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
- c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
- d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
- f. You shall establish Bar code system within one year.




Maharashtra Pollution Control Board

61c2a8d81e12b33ddaa31011

- g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
- h. You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of Notification.
- i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
- j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
- k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
13. PP shall provide primary ETP for treatment of trade effluent and sewage treatment plant for treatment of domestic wastewater.
14. The Bio-medical waste generated shall be segregated, transported & disposed as per the provisions of Rule.
15. PP shall submit BG of Rs.25 Lakh towards compliances of consent condition.

For and on behalf of the
Maharashtra Pollution Control
Board.


(Ashok Shingare IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1500.00	TXN2105001910	27/05/2021	Online Payment
2	50000.00	TXN2107001080	09/07/2021	Online Payment
3	50000.00	MPCB-DR-8070	23/09/2021	NEFT
4	10000.00	TXN2011001816	22/03/2021	Online Payment

Balance amount of Rs. 51500 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Jalgaon
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



Maharashtra Pollution Control Board

61c2a8d81e12b33ddaa31011

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- A) Generation - Nil
B) Treatment - NA
C) Disposal - NA
- A) As per your application, you have provided Sewage Treatment Plant of designed capacity 35 CMD for the treatment of 28 CMD of sewage.
B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30
2	COD	Not to exceed	100
3	Suspended Solids	Not to exceed	50

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises and in to nearby water body.
- The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 - The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
 - The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	40.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

- The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

61c2a8d81e12b33ddaa31011

Terms & conditions for compliance of Air Pollution Control:

- | Stack No. | Stack Attached To | APC System | Height in Ft. | Type of Fuel | Quantity & Unit | 5 | 6 |
|-----------|-------------------|---------------------|---------------|--------------|-----------------|------|------|
| S-1 | DG Set [125 KVA] | Acoustic Enclosures | 3 | Diesel | 20 Kg/Hr | 1.00 | 9.60 |

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

- Physician's Educational & Cultural Needs: The Golden Rule Multi-professional Model & Ziyah Hospital NCCME No. 1090
CONF/IT-406103776 (06-17-2011 10:11:05 pm) /QHSLP00 F31/30

Scanned by CamScanner

61c2a8d81e12b33ddaa31011

Details of Bank Guarantees

S. No.	Compliance No.	Amount	Time	Condition	Compliance Status	Valid Date
1	Combined Consent to Establish and BMW Authorization	Rs.25 Lakh	15 Days	Towards compliances of consent condition.	Continuous	30.04.2020

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
 & Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr. No.	Activity/Condition to be Complied	Compliance Time/Time (Months)	Link/Group/Activity
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	

BG Perfelture History

STPS	Current (EE, E-D, C-1)	Amount of DG Imported	Subcontract Period	Purpose of DG	Amount of (DG) Forfeiture	Reason of No Forfeiture
			NA			

BG Return details

Serial	Consent (C2E/C2O/C2R)	DO/NO/Refused	Purpose of DO	Amount of DO Returned
			NA	

SCHEDULE-IV

General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

Dr. Vishnu Subramanian Cultural Mandala Ethnobotany Desk, Multiphasic Medical & Ayurved Hospital, ULLAHM No. 30/20,
COMPTON-600010/777 (04-11-2021 11:11:00 am) SWS, PDR 20100

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.

Maharashtra Pollution Control Board


61c2a8d81e12b33ddaa31011

5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

Maharashtra Pollution Control Board
61c2a8d81e12b33ddaa31011


20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

For and on behalf of the
Maharashtra Pollution Control
Board.


(Ashok Shingare IAS).
Member Secretary

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code.
<https://blockchain.ammach.in/doc/14a2850c77eda2d8123b11dd48f6e15e55e6ed07e6ffh7a6e108a3e5262a10a8>

Scanned by CamScanner



Maharashtra Pollution Control Board
61c2a8d81e12b33ddaa31011

12

ANNEX

III

महाराष्ट्र शासन
शासकीय आयुर्वेद रुग्णालय, जळगांव
श्री.गुलाबराव देवकर अभियांत्रिकी महाविद्यालय परिसर, शिरसोली रोड, जळगांव
ईमेल-gahjalgaon@gmail.com

जा.क्र.शाआरुज/आस्था / आयुर्वेद/२०२५ / २२७

दिनांक: ०६/०२/२०२५

जैविक-वैद्यकीय कचरा (BMW) विल्हेवाट सामंजस्य करार

गुलाबराव देवकर इंजिनियरींग महाविद्यालय परिसर येथे एकाच ठिकाणी वेगळ्या इमारतीत स्थित असलेल्या शासकीय होमिओपॅथी महाविद्यालय व रुग्णालय जळगांव तसेच शासकीय आयुर्वेद महाविद्यालय व रुग्णालय जळगांव या महाविद्यालया दरम्यान बायो मेडिकल वेस्ट मॅनेजमेंट (BMW) नियम, २०१६ ह्या अधिनियमा आधीन राहून आपसात जैव-वैद्यकीय कचरा (BMW) विल्हेवाट सामंजस्य करार करण्यात येत आहे.

सदर सामंजस्य करार हा खालील उद्देशाने करण्यात येत आहे-

१. पर्यावरणाच्या दृष्ट्या जैव-वैद्यकीय कचरा योग्य पद्धतीने पृथक्करण संकलन आणि उपचार करून जैव-वैद्यकीय कचऱ्याची वैज्ञानिक विल्हेवाट लावणे द्वया हेतूने, जेणे करून आरोग्य कर्मचाऱ्यांवर आणि पर्यावरणावर होणारा प्रतिकूल परिणाम रोखता येणे शक्य होईल.
२. शासकीय होमिओपॅथी महाविद्यालय व रुग्णालय, जळगांव येथे जैव-वैद्यकीय कचरा अल्प प्रमाणात असल्याने.
३. शासकीय होमिओपॅथी महाविद्यालय व रुग्णालय, जळगांव तसेच शासकीय आयुर्वेद महाविद्यालय व रुग्णालय, जळगांव या दोघेही शासकीय संस्था एकाच परिसरात स्थित असल्याने.

सदर करारनुसार शासकीय होमिओपॅथी महाविद्यालय व रुग्णालय, जळगांव येथे वेळोवेळी जमा होणारा जैव-वैद्यकीय कचरा हा शासकीय आयुर्वेद महाविद्यालय व रुग्णालय, जळगांव येथे संकलित केला जाईल.

दिनांक -

ठिकाण -



अधिष्ठाता

शासकीय आयुर्वेद महाविद्यालय व रुग्णालय
जळगांव

अधिष्ठाता (अॅकॅडमिक)

शासकीय होमिओपॅथी महा. व रुग्णालय
जळगांव